



**MAYOREO**  
DEPOT

» PRODUCT BROCHURE





# CONTENTS

Fine Mist Sprayer 01

Mini Trigger Sprayer 03

Lotion Pump With Clip 05

Cleansing Oil Pump 06

Lotion Pump(Screw) 07

4CC Lotion Pump 11

Trigger Sprayer 13

All Plastic Trigger Sprayer 15

Foam Pump 17

A Gun 19

CAP 20

# Fine Mist Sprayer

**YJ-FMS Series**

Discharge Rate:  
0.12-0.14ml/T



## A. Lid Option



## B. Closure Option



## C. Nozzle Option



FMS-A



FMS-B



FMS-C



FMS-D



FMS-E



FMS-F



FMS-G



FMS-H



FMS-I



FMS-J



FMS-K



FMS-L



FMS-M

# Mini Trigger Sprayer

**YJ-MT Series**

Discharge Rate:  
0.2-0.22ml/T

## A. Closure Size Option



Φ24/410

Φ28/410

## B. Trigger Option



Wrench A

Wrench B

Wrench C

## C. Closure Size Option



Ribbed

Smooth

Alum



MT-A

MT-B

MT-C


MT-D

# Mini Trigger Sprayer



Discharge Rate:  
0.5ml/T

## A. Closure Size Option



Φ24/410

Φ28/410

Φ28/410A



MT-E

# Lotion Pump With Clip

**YJ-LPWC Series**

Discharge Rate:  
0.8-1.0ml/T



LPWC-A



LPWC-B



LPWC-C

## A. Clip option



Clip

## B. Closure Size Option



Φ20/410-A



Φ24/410-B



Φ28/410-C

# Cleansing Oil Pump

**YJ-COP Series**

Discharge Rate:  
0.8-1.0ml/T



COP-A



COP-B



COP-C

## A. Clip option



Buckle general

## B. Closure Size Option



Φ20/410



Φ24/410



Φ28/410

## C. Nozzle Option



A



B




C

# Lotion Pump(Screw)

Usage: Widely used in cosmetics and high-grade cosmetics skin lotion, essence liquid, skin lotion, etc  
 Features: The sprayer produced by our company has light handle, no leakage and moderate spray volume.

**YJ-LPL Series**

Discharge Rate:  
1.8-2.00ml/T




### A. Closure Option



### B. Closure Size Option



### C. Nozzle Option




# Foam Pump



**YJ-FP  
Series**

Discharge Rate:  
0.8-0.9ml/T

A. Nozzle Option



A


B

C

Foam Pump



FP-A



FP-B



FP-C

# Trigger Sprayer

**YJ-TS Series**

Discharge Rate:  
0.8-1.0ml/T




## A. Trigger Option



Wrench A      Wrench B

## B. Closure Size Option




Φ28/410 Anti theft ring      Φ28/415

## C. Cover Option



A      B      C      D      E      F      G



**MAYOREO**  
DEPOT



TS-A



TS-B



TS-C



TS-D



TS-E



TS-F



TS-G



TS-H



# A Gun

Nozzle Option  
28/400 28/410

YJ-AT  
Series



AT-A



AT-B



AT-C



AT-D



AT-E



AT-F

# CAP



## Flip top cap



A



B



C

## Push pull cap



D



E



F

## Screw cap



G



H



I

## Disc cap



YJ-CAP-J

# All Plastic Trigger Sprayer



## A. Trigger option



Wrench A



Wrench B

## B. Closure Size Option



Φ28/400



Φ28/410

## C. Cover Option



Cover A



Cover B

## D. Nozzle Option



A



B



C



D

**YJ-ATS**  
Series

Discharge Rate:  
1.2-1.4ml/T



**MAYOREO**  
DEPOT



ATS-A



ATS-A1



ATS-B



ATS-B1